

C

INDEX MAPS.

T. 6N—R. 5W—2nd Mer.

	457	456-457	456-457	456-458	455-458	455-458						
460	6	479	5	476	4	471	3	468	2	463	1	455
		479		475		471		467		not run		
460	7	479	8	475	9	471	10	467	11	463	12	454
		478		474		470		467		463		
459	18	478	17	474	16	470	15	466	14	463	13	454
		478		473		470		466		462		
459	19	477	20	473	21	469	22	465	23	462	24	454
		477		472		469		465		462		
459	30	476	29	472	28	469	27	465	26	461	25	454
		476		472		468		464		461		
458	31	476	32	472	33	468	34	464	35	460	36	453
		452		451-452		451-452		451-453		451-453		451-453

T.

R.

Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

The figures on the lines refer to the page.

451

Township N. 6. East of Range N. 5 West 2nd Mer. Indiana

Ch. 1/2.

South Boundry.

D. 15.

West Quat Random line On the South Boundry of sec. 36. T. 6. R. 5
 31.00 To a Brook 5 links wide, Course N.
 40.00 Set a temp. 1/4 sec post
 80.00 Set a temp. 1/4 post for the cor. of sec. 35 & 36.
 Land here: Timber Oak, Hickory &c.

West Quat Random line On the South Boundry of sec. 35. T. 6. R. 5
 40.00 Set a temp. 1/4 sec post
 80.00 Set a temp. 1/4 post for the cor. of sec. 34 & 35.
 Land the same as last mile.

West Quat Random line On the South Boundry of sec. 34. T. 6. R. 5
 40.00 Set a 1/4 sec post (temp. 1/4)
 79.00 To a Spring branch. Course S.
 80.00 Set a temp. 1/4 post for the cor. of sec. 33 & 34
 Land same as last mile.

West Quat Random line On the South Boundry of sec. 33
 T. 6. R. 5 W.
 40.00 Set a temp. 1/4 sec. post
 80.00 Set a temp. 1/4 post for the cor. of sec. 32 & 33.
 Land soil and timber same.

West Quat Random line On the South Boundry of sec. 32
 T. 6. R. 5 W.
 26.00 To a Brook 9 links wide, Course N. W.
 40.00 Set a 1/4 sec post (temp. 1/4)
 76.75 To a Brook 50 links wide Course N.
 80.00 Set a temp. 1/4 post for the cor. of sec. 31 & 32
 Land flat Timber Oak, Elm, &c.

West Quat Random line On the South Boundry of sec. 31. T. 6. R. 5 W.

T. N. C. N.R. No 571 2nd Mer. Ind.

21.80	To a Brook. 50 links wide, Course S.W.
26.50	" " " " " " " " N.W.
40.00	Set a 7/8 sap post (temp.)
49.50	To the South Bound of the Penns Creek.
88.58	Intersect the N.S. Range line North of the Post cor of Towns. 5 & 6. N.R. 5 & 6. W. Lands rolling; Timber Oak & Hick
East	On the true line On the South Bound of sec. 31 T. 6 R. 5. Variation 8.00'
48.58	Set the temp. 7/8 sap post on the true line from which a W Oak. 12 in. dia. trans. S 58 N. 5 links curb; & a Sugar. 10 " " " S 77 N. 47 " "
88.58	Set the temp. 7/8 post on the true line for the cor. of sec. 31 & 32 from which a W Oak. 30 in. dia. trans. S 9 N. 32 links curb and a L. 30 " " " N 21 E. 72 " "
East	On the true line On the South Bound of sec. 32 T. 6. N.R. 5
40.00	Set the temp. 7/8 sap post on the true line from which a Oak. 10 in. dia. trans. N 44 W. 15 links curb; & a W Oak. 7 " " East 43 " "
80.00	Set the temp. 7/8 post at the corner on the true line for sec. 32 & 33 from which a Logwood 8 in. dia. trans. N 39 E. 16 links curb; & a W Oak. 20 " " " S 37 N. 17 " "
East	On the true line On the South Bound of sec. 33 T. 6. R. 5
40.00	Set the temp. 7/8 sap post on the true line from which a W Oak. 12 in. dia. trans. N 80 W. 24 links curb; & a L. 18 " " " S 52 N. 29 " "
80.00	Set the temp. 7/8 post on the true line for the cor. of sec. 33 & 34 from which a W Oak. 12 in. dia. trans. S 40 E. 26 links curb and a L. 15 " " " N 6 E. 47 " "

T. N. 6. N. R. N. 37. 2nd Mer. Ind.

East	On the true line On the South Boundary of sec. 34. T. 6. N. R. 5. W.
40.00	Set a 7 th & a post (temp ^l) on the true line from which a Poplar 8 in. diam. trees N 80 E. 8 links each; & a Lp. 8 " " " S 17 W. 9 " "
80.00	Set a post (temp ^l) on the true line for the cor. of sec. 34 & 35 from which a Hick ^l 10 in. diam. trees S 63 E. 40 links each; and a W. Oak. 20 " " " S 70 W. 50 " "
East	On the true line On the South Boundary of sec. 35. T. 6. N. R. 5.
40.00	Set the temp ^l 7 th & a post on the true line from which a Hick ^l 10 in. diam. trees N 5 W. 11 links each; & a Poplar 10 " " " S 74 W. 15 " "
80.00	Set the temp ^l 7 th post on the true line for the cor. of sec. 35 & 36 from which a W. Oak. 10 in. diam. trees S 4 E. 32 links each; and a Hick ^l 12 " " " S 38 W. 40 " "
East	On the true line On the South Boundary of sec. 36. T. 6. N. R. 5. W.
40.00	Set a 7 th & a post (temp ^l) on the true line from which a W. Oak. 10 in. diam. trees N 6 E. 30 links each; & a
80.00	To the post cor. of T. 5 & 6. N. R. 4 & 5. W.
East Boundary	
North	On the East Boundary of sec. 36. T. 6. N. R. 5. W.
40.00	Set a 7 th & a post from which a Walnut. 16 in. diam. trees S 11 W. 27 links each; & a Poplar 36 " " " N 14 E. 28 " "
42.00	To a Brook. 15 links wide, crosses S. W.
80.00	Set a post for the cor. of sec. 25 & 36 from which a Gum. 30 in. diam. trees S 25 E. 11 links each; & a Sugar. 18 " " " N 45 W. 43 " "
	Grande Pt. 7 th mile each; Limbo Oak, Sugar & Ash, " 2 nd " " " " " " " "

T. N. 6. N.R. N. 5 W. 2nd Mer. Ind.

North 40.00	On the East Boundary of sec. 25. T. 6. N.R. 5 W. Set a 1120 post from which a Hogwood 8 in. diam. trunk. S 45 W. 8 links curb; 4 3/4
80.00	Ho. 6 " " " N 89 E. 23 " " Set a post for the cor. of sec. 24 & 25 from which a Poplar. 14 in. diam. trunk. S 4 E. 16 links curb; 4 3/4 Hogwood 4 " " " N 7 E. 18 " " Good Oak land;
North 40.00	On the East Boundary of sec. 24. T. 6. N.R. 5 W. Set a 1120 post from which a Sugar. 10 in. diam. trunk. S. E. 16 links curb; 4 3/4 W. Oak. 30 " " " N. W. 24 " "
43.00	To a Brook. 15 links midw, corner W.
73.00	" " Ho. 3 " " " S. W.
80.00	Set a post for the cor. of sec. 13 & 24 from which a W. Oak. 16 in. diam. trunk. S 68 W. 12 links curb; 4 3/4 Ho. 6 " " " S 77 E. 11 " " Good Oak land.
North 40.00	On the East Boundary of sec. 13. T. 6. N.R. 5 W. Set a 1120 post 12 in. diam. Stand as for the cor. of 14 sec
59.00	To a B. Oak 24 in. diam. in the line.
70.00	To a Brook 3 links midw, corner N. W.
80.00	Set a post for the cor. of sec. 12 & 13 from which a Hogwood 9 in. diam. trunk. S 22 W. 21 links curb; 4 3/4 W. Oak. 16 " " " N 4 E. 12 " " Land 18 1/2 mile land Oak Land; 2 nd do. good Oak Land.
North 8.00	On the East Boundary of sec. 12 T. 6. N.R. 5 W. To a Brook 5 links midw, corner W.
15.00	" " Ho. 3 1/4 " " " S. W.

458

T. N. 6. N. R. N. 5 W. 2nd Mer. Ind.

40.00 Set a 1/4 su post from which
 W Oak. 15 in. dia. beam. N 82 E. 11 links each; 1/2
 L. 16 " " " S 22 W. 31 " "
 50.00 Iron Brook 3 links mid. Course W.
 80.00 Set a post for the cor of sec. 1 & 2 from which a
 W Oak. 18 in. dia. beam. S 10 W. 12 links each; 1/2
 L. 12 " " " N 60 E. 21 " "
 Good hard Oak Land.

North On the East Boundary of sec. 1. T. 6. N. R. 5 W.
 40.00 Set a 1/4 su post from which a
 Hick. 16 in. dia. beam. S 21 E. 5 links each; 1/2
 Poplar. 50 " " " N 10 W. 22 " "
 74.00 Iron Brook. 15 links mid. Course W.
 95.00 Intersubst the Town line 900 links East of the tempst
 post cor of Towns. 6. & 7 N. R. 4 & 5 W from which
 a Maple. 10 in. dia. beam. N 72 E. 12 links each; 1/2
 Ash 10 " " " S 53 W. 16 " "
 Good hard land.

North Boundary (Var. 6. 45') (A 49)

West On a Random line On the South Boundary of sec. 36.
 T. 7. N. R. 5 W.
 20.00 Iron Brook 75 links mid. Course E.
 25.00 " " L. " " " " N.
 35.00 " " L. " " " " S. W.
 40.00 Set a tempst 1/4 su post
 80.00 Set " " post for the cor. of sec. 35 & 36
 Sand bottom: Timber Sugar, Birch, Elm, &c.

West On a Random line On the South Boundary of sec. 35
 T. 7. N. R. 5 W.
 15.00 Iron Brook. Course N. W.

T. F. C. N. R. No 5 W. 2nd Mer. Ind.

24.00	To a Brook. Course S.W.
27.00	To a pond 6 chains wide. Circular.
33.00	To a Brook 150 links wide, Course S.W.
40.00	Set a temp. $\frac{1}{4}$ S. post
65.00	To a Brook 200 links wide, Course N.
80.00	Set a post for the cor. of Sec. 34 & 35. Lands R. $\frac{1}{2}$ mile; wet bottom; Timber Elm Maple Hick; 2 $\frac{1}{2}$ do. overflowed bottom.
West	On a Random line On the South Boundary of Sec. 34 T. F. N. R. No 5 W. April 19 th 1811.
11.50	To a Brook 200 links wide, Course S.
15.25	To the East Bank of White River 650 links wide, Course South.
40.00	Set a temp. $\frac{1}{4}$ S. post
60.00	River close on to the left
80.00	Set a post for the temp. cor. of Sec. 33 & 34 Lands rich bottom; Timber Elm, Walnut, Buckeye
West	On a Random line On the South Boundary of Sec. 33. T. F. N. R. 5 W.
40.00	Set a temp. $\frac{1}{4}$ S. post
80.00	Set a temp. post for the cor. of Sec. 32 & 33 in the East Side of a prairie pretty large and principally on the South side of line. R. $\frac{1}{2}$ mile good bottom Timber Sugar Elm, & Maple.
West	On a Random line On the South Boundary of Sec. 32. T. F. N. R. 5 W.
25.00	Rich prairie
40.00	Set a $\frac{1}{4}$ S. post (temp.)
60.00	To the East side of a large prairie, crossing NW. S.E. at least $\frac{1}{4}$ miles

457

T. N. C. N. R. N. 577. 2nd Mer. Ind.

80.00	Set a temporary post for the cor. of sec. 31 & 32. in prairie Land generally good; Part prairie on part Oak Land.
West	On a Random line On the South Boundary of sec. 31. T. 7. N. R. 577.
30.00	Quit prairie.
40.00	Set a temporary 1/4 sec. post
80.00	Set a temporary post for the cor. of T. 6. & 7. N. R. 577 Good land; Part prairie & part Oak land.
East	On the true line. On the South Boundary of sec. 31. T. 7. N. R. 577
40.00	From the above named temporary Township Cor. set the temporary 1/4 sec. post on the true line from which a W. Oak. 24 in. dia. beam. S 36 E. 13 links arb; & a Loc. 24 " " " N 66 W. 38 " "
80.00	Set the temporary post on the true line for the cor. of sec. 31 & 32 in a prairie no timber
East	On the true line On the South Boundary of sec. 32. T. 7. N. R. 577
40.00	Set a 1/4 sec. post on the true line. from which a W. Oak. 24 in. dia. beam. S 47 W. 12 links arb; & a W. Oak. 15 " " " N 68 E. 53 " "
80.00	Set a post for the cor. of sec. 32 & 33. (Temporary on true line) from which a W. Oak 24 in. dia. beam. N 72 W. 33 links arb. and an Elm 15 " " " S 3 E. 58 " "
East	On the true line On the South Boundary of sec. 33. T. 7. N. R. 577
40.00	Set the temporary 1/4 sec. post on the true line from which a Hackberry 18 in. dia. beam. S 73 E. 5 links arb; & a W. Locust 16 " " " S 65 W. 19 " "
80.00	Set a post for the cor. of sec. 33 & 34 (Temporary on true line) from which a Hackberry 30 in dia. beam. N 74 E. 20 links arb.

T. No. 6. S. R. N. 57. 2nd Mer. Ind.

4 Buckeye 10 in. dia. beam. N 53 77.16 links dist;

East	On the true line On the South Boundary of Sec. 34. T. 7. N. R. 57 W.
40.00	Set the temp. 7 1/4 in post on the true line from which a Honey Locust 18 in dia. beam. S 10 E. 61 links dist; & 9 Buckeye 14 " " " N 37 77.24 " "
80.00	Set the temp. 7 1/4 in post on the true line for the cor. of sec. 34 & 35 from which a Walnut - in dia. beam. S 79 E. 8 links dist and an Ash. 8 " " " N 30 77.15 " "

East	On the true line On the South Boundary of Sec. 35. T. 7. N. R. 57 W.
40.00	Set the temp. 7 1/4 in post on the true line from which a Hackberry 12 in. dia. beam. S 67 E. 18 links dist; & an Ash. 16 " " " S 20 77.22 " "
80.00	Set a post (temp. 7 1/4) for the cor. of sec. 35 & 36 (true line) from which an Oak 36 in. dia. beam. N 85 E. 26 links dist and an Oak. 30 " " " N 79 77.22 " "

East	On the true line On the South Boundary of Sec. 36. T. 7. N. R. 57 W.
40.00	Set a 7 1/4 in post (temp. 7 1/4) on the true line from which a Buck. 30 in. dia. beam. S 70 E. 36 links dist; and an Sugar. 16 " " " S 82 77.14 " "
80.00	To the cor. of Towns. 6 & 7 N. 4 & 5 W.

Surveyed by

Alexander Holmes L.S.

West Boundary var. 6° 15' 28

North	On the East Boundary of Sec. 36. T. 6. S. R. 6 W.
9.40	To a Spring Corner E.
40.00	Set a 7 1/4 in post from which a Oak. 20 in. dia. beam. S 2 77.28 links dist; & a Log. 6 " " " North. 25 " "
40.40	To a Post 75 links from Corner N. W.

47.82	To the same work 75 miles wide, Corner N.E.
52.00	" " " " 75 " " " W.
80.00	Set a post for the cor. of sec. 25 & 36 from which a Elm. 8 in. dia. bears S 30 E. 7 miles due; & a Loc. 7 " " " N 85 W. 27 " " Land nothing.
North	On the East Boundary of sec. 25 T. 6 N. R. 6 W.
21.00	To a Spring Corner S.W.
40.00	Set a 7/4 post from which a Box Elder. 10 in. dia. bears S 71 W. 14 miles due; & a Yum. 9 " " " N 59 W. 16 " "
59.00	To the Left Bank of the West Fork of W. River and set a post from which an Elm. 12 in. dia. bears S 24 W. 20 miles due
65.88	Set a post on the Right Bank of White River from which an Elm. 20 in. dia. bears S 42 E. 19 miles due; & a Loc. 10 " " " N 58 W. 23 " "
80.00	Set a post for the cor. of sec. 24 & 25 from which an Elm. — in. dia. bears S 58 E. 18 miles due; & a Loc. — " " " N 20 W. 18 " " Land nothing; Timber Elm. Ash, Walnut Hickory &c.
North	On the East Boundary of sec. 24 T. 6 N. R. 6 W.
40.00	Set a 7/4 post from which a Elm. 10 in. dia. bears S 36 E. 49 miles due; & a W Oak. 20 " " " N 19 W. 37 " "
75.00	To a Prairie
80.00	Set a post for the cor. of sec. 13 & 24 in the Prairie
North	On the East Boundary of sec. 13 T. 6 N. R. 6 W.
40.00	Set a 7/4 sec. post
45.00	To timbered land.
80.00	Set a post for the cor. of sec. 12 & 13 from which a

T. N. 6. N. R. N. 5 W. 2nd Mer. Ind.

43 Oak. 20 in. dia. to ms. S 97 W 33 links sub; & 3
 No. 18 " " " S 84 E 25 " "
 Same thin soil Timber Oak, Hickory, &

North On the East Boundary of sec. 12. T. 6. N. R. 6 W.
 40.00 Set a 1/4 sec post from which a
 43 Oak. 20 in. dia. to ms. S 12 E. 26 links sub; & 5
 44 Oak. 18 " " " West 36 " "
 46.00 To a Pond 31 chains wide, heading S. W.
 80.00 Set a post for the cor. of sec. 1 & 12 from which a
 Birch. 12 in. dia. to ms. N 20 W. 222 links sub; & 3
 Same same as last mile.

North On the East Boundary of sec. 1 T. 6. N. R. 6 W.
 40.00 Set a 1/4 sec post from which a
 Hickory 6 in. dia. to ms. S 12 E. 21 links sub; & 3
 44 Oak. 8 " " " N 23 E. 20 " "
 45.00 To a 44 Oak. 10 in. dia. stands in the line.
 80.00 Set a temporary post 6 miles from the South Bound-
 ary of the Township

Surveyed by
 Arthur Kenrick L.S.

North Continued the line from Kenrick's 6 mile post
 28.50 and fell 125 links West of the temporary post cor of
 T. 6 & 7 N. R. 5 & 6 W. and moved it to the Inter-
 section. at this post the bearings are
 43 Oak. 10 in. dia. to ms. South 12 links sub; & 3
 Hickory 6 " " " N. W. 19 " "

Surveyed by
 Alexander Holmes L.S.

Subdivisions

North Between Sec. 35 & 36. T. 6. N. R. 5 W.

North	Between Sec. 35 & 36. T. 6. N.R. 577.
40.00	Set a 7/4 cu post from which
80.00	N Oak. 20 in. diam. trees North 87 links dist; Set a post for the cor. of sec. 25, 26, 35 & 36 from which Sugm. 20 in. diam. trees. N 51 E. 20 links dist; & 3 Do. 15 " " " S 85 E. 46 " " Land rolling; Set them Tinto Oak Neck N
East	Oak Run line between Sec. 25 & 36. T. 6. N.R. 577
5.00	To a Brook 30 links wide, Corner NW.
6.50	" " Same 30 " " " " SE
9.50	" " Same " " " " " " NE.
40.00	Set a temp. 7/4 cu post
75.00	To a Brook 10 links wide, Corner S.
80.00	Enter cut the East Bound. 18 links North of the post cor. of sec. 25 & 36. Land rolling; (Tinto Oak, Neck N)
West	On the line between Sec. 25 & 36. T. 6. N.R. 577.
40.00	Set the temp. 7/4 cu post at the cor. dist on the line from which N Oak. 10 in. diam. trees. N 70 E. 40 links dist; and a Do. 15 " " " " " " N 69 E. 43 " "
80.00	To the post cor. of sec. 25, 26, 35 & 36.
North	Between Sec. 25 & 26. T. 6. N.R. 577
3.00	To a Brook 30 links wide, Corner NW.
11.50	" " Do. 10 " " " " " " SE.
40.00	Set a 7/4 cu post from which
80.00	A. Oak. 20 in. diam. trees. N 20 E. 26 links dist Set a post for the cor. of sec. 23, 24, 25 & 26 from which N Oak. 12 in. diam. trees N 11 E. 69 links dist; & 3 Do. 10 " " " " " " S 79 E. 30 " " Land rolling Tinto Oak, Neck N

T. No 6. N.R. No 577. D. No 17. Ind. 5

East	On a Random line between Sec. 24 & 25 T. 6. N.R. 577
40.00	Set a temp. 7/4 sup. post
79.80	Enter out the N 75 line 10 links South of the post cor. of sec. 24 & 25. Land left and timber same as last mile.
West	On the true line between Sec. 24 & 25 T. 6. N.R. 577.
39.90	Set the temp. 7/4 sup. post at the av. dist on the true line from which a Gum. 10 in. diam. bears N 88 E. 21 the dist.
79.80	To the post cor. of sec. 23, 24, 25 & 26.
North	Between Sec. 23 & 24 T. 6. N.R. 577.
13.55	To a Spruce 18 in. diam. in the line.
40.00	Set a sup. post from which
	W Oak. 12 in. diam. bears N 24 E. 22 links dist; 79
	Dogwood 6 " " " S 24 W. 3 " "
55.00	To a Birch 20 links dist, comes W.
80.00	Set a post for the cor. of sec. 13, 14, 23 & 24 from which
	W Oak. 12 in. diam. bears N 85 E. 26 links dist; 80
	Dogwood 7 " " " S 37 W. 17 " "
	Land left and timber same as last mile.
East	On a Random line between Sec. 13 & 24 T. 6. N.R. 577
40.00	Set a temp. 7/4 sup. post
79.80	Enter out the N 75 line or East Boundary at the cor. of sec. 13 & 24. Land same as last mile.
West	On the true line between Sec. 13 & 24 T. 6. N.R. 577
39.90	Set the temp. 7/4 sup. post at the av. dist on the true line from which
	W Oak. 15 in. diam. bears N 53 W. 30 the dist.
	and a Hickory 10 " " " S 71 E. 11 " "
79.80	To the post cor. of sec. 13, 14, 23 & 24.

Anth	Between Lat 13 & 14 I.C. N.R. 577.
40.00	Set a 7/4 support from which.
	B. Oak. 18 in. diam. trees N 20 W. 27. limbs dark; & 3
	B Walnut. 10 " " " S 18 E. 8 " "
59.75	To a Brook. 12 miles wide, Corners W.
64.00	To a B. Oak 24 in. diam. It runs in the line.
80.00	Set a post for the cor. of Lat. 11. 12. 13 & 14 from which.
	W Oak. 15 in. diam. trees. S 24 W. 23 limbs dark; & 3
	L. 15 " " " N 17 W. 43 " "
	Land same as last mile.
East	On a Random line between Lat. 12 & 13. I.C. N.R. 577.
40.00	Set a trip 7/4 support.
79.60	Intersect the East Boundary 30 miles South of the first corner of Lat. 12 & 13.
	Land the same as last mile.
West	On the true line between Lat. 12 & 13. I.C. N.R. 577.
39.80	Set the trip 7/4 support at the corner. dark on the true line from which.
	White 10 in. diam. trees. N 84 E. 18 limbs dark
	made a Hogwood 7 " " " S 51 E. 18 " "
79.60	To the post cor. of Lat. 11. 12. 13 & 14.
North	Between Lat. 11 & 12 I.C. N.R. 577.
40.00	Set a 7/4 support from which.
	B Oak 18 in. diam. trees N 67 W. 66 limbs dark; & 3
	White 18 " " " S 10 E. 12 " "
80.00	Set a post for the cor. of Lat. 1. 2. 11. & 12 from which.
	Hogwood - in diam. trees. S 45 W. 19 limbs dark; & 3
	W Oak 18 " " " N 55 E. 43 " "
	Land same as last mile.
North	Between Lat 1 & 2 I.C. N.R. 577.

T. N. 6. N.R. N. 5 W 2nd Mer. Ind.

30.00	To a Brook 12 links wide, Comes N.W.
40.00	Set a 7/8 sa post from which a W Oak 10 in. diam. bears S 97 W. 10 links and; to Hogwood 4 " " " N 89 W. 16 " "
86.00	To a Brook. 50 links wide, Comes West
101.50	Intersect the N. Bound. 143 links East of the post cor. of sec. 35 & 36. S. 7. N.R. 5 W and set a post for the cor. of S. 1 & 2 from which a Pine 10 in. diam. bears S 25 W. 11 links and; to Hog. 12 " " " S 55 E. 41 " " Land soil and timber same as last mile.
North	Return Sec 34 & 35. S. 6. N.R. 5 W.
40.00	Set a 7/8 sa post at the from which a W Oak 12 in. diam. bears S 1 W. 97 links and;
80.00	Set a post for the cor. of sec. 26 27. 34 & 35 from which a Pine 10 in. diam. bears N 27 W. 10 links and; to Hog. 6 " " " N 27 W. 45 " " Land rolling and very bushy
East	On a Run line between Sec 26 & 35 S. 6. N.R. 5 W
80.0	To a Brook 30 links wide, Comes N.W.
25.00	" Same " " " " S.W.
36.50	" Same " " " " " S.W.
40.00	Set a stump 7/8 sa post
41.00	To the above named brook Comes S.W.
77.00	" " " " " " " S.W.
78.50	" " " " " " " S.W.
80.00	Intersect the N. B. line 10 links South of the post cor. of Sec. 25, 26. 35 & 36. Land flat Timber Maple, Oak, Hickory &c
West	On the true line between Sec 26 & 35. S. 6. N.R. 5 W

I. N. C. N. R. N. 5 M. 2nd M. Ind.

465

40.00	Set a trap 7 1/4 feet at the corner dish on the line from which on Gycanow 10 in. diam. beams N41 W. 14 lbs. dish made an Ironwood. Co. a. a. N88 E. 8 " "
80.00	To the first cor. of cut 26, 27, 34 & 35.
North	Between Cut 26 & 27 I. C. N. R. 5 M.
3.57	To a Brook 30 units mid, Comes W.
16.50	" " W Oak 18 in. diam. in the line.
40.00	Set a 7/4 support from which a Hog woods 9 in. diam. beams N86 E. 8 lbs. dish; 8 Heads 10 " " " N16 W. 14 " "
67.90	To W Oak 12 in. diam. in the line.
77.00	To a Brook 8 units mid, Comes W.
80.00	Set a post for the cor. of cut 22, 23, 26 & 27 from which W Oak 8 in. diam. beams S27 E. 10 lbs. dish; 8 W Oak 28 " " " N36 W. 31 " " Sand rolling; Timber Oak, S Head 85
East	On a Random line between Cut 23 & 26. I. C. N. R. 5 M.
4.00	To a Brook 8 units mid, Comes S. W.
40.00	Set a trap 7 1/4 feet,
79.90	Set out the N & S line 20 units South of the Post cor. of Cut 23, 24, 25 & 26. Sand same as last one.
West	On the line between Cut 23 & 26. I. C. N. R. 5 M.
39.96	Set the trap 7 1/4 feet at the corner dish on the line from which W Oak 28 in. diam. beams S75 E. 12 lbs. dish made a Ho. 18 " " " N44 W. 6 " "
79.92	To the first cor. of cut 22, 23, 26 & 27.
North	Between Cut 22 & 23. I. C. N. R. 5 M.
37.00	To a Brook 7 units mid, Comes W.

T. N. C. N. R. N. 5 W. 2nd Mer. Sur.

40.00	Set a $\frac{1}{4}$ sec post from which a W Oak 18 in. dia. beam. S 12 W. 24 links dist; & a Lo. 20 " " " S 65 E. 21 " "
80.00	Set a post for the cor. of sec 14, 15, 22 & 23 from which a W Oak 12 in. dia. beam. S 61 E. 18 links dist; & a Sugar. 12 " " " S 34 W. 12 " " Same soil and timber same.
East	On a Random line between Sec 14 & 23 T. 6. N. R. 5 W.
30.00	To a Brook. 25 links min. Course N. W.
31.50	" Same. " " " " S W
40.00	Set a temp. $\frac{1}{4}$ sec post
50.00	To a Brook 18 links min. Course N.
59.50	" Do. " " " " S W.
80.00	Intersect the N W S line 10 links South of the post cor of sec 13, 14, 23 & 24 Land the same as last mile.
West	On the true line between Sec 14 & 23 T. 6. N. R. 5 W.
40.00	Set the temp. $\frac{1}{4}$ sec post at the corr. dist on the true line from which a Hard 77 in. dia. beam. S 83 W. 29 links dist and on Elm 9 " " " N 51 E. 10 " "
80.00	To the post cor. of sec 14, 15, 22 & 23.
North	Between Sec 14 & 15 T. 6. N. R. 5 W.
6.36.	To a Brook. 18 links min. Course S. W.
34.50	" " W Oak 18 in. dia. stands in the line.
40.00	Set a $\frac{1}{4}$ sec post from which a W Oak. 18 in. dia. beam. S 14 W. 15 links dist; & a Lo. 10 " " " S 40 E. 15 " "
80.00	Set a post for the cor. of sec 10, 11, 14 & 15 from which W Oak 20 in. dia. beam. S 19 E. 28 links dist; & a Lo. 10 " " " S 40 E. 31 " "

467

T. N. C. N.R. N. 5 W. 2nd Mer. Ind.

Land the same as last mile.

East Quad Random line between Sec 11 & 14 T. 6. N. R. 5 W.
 40.00 Set a temp. $7\frac{1}{4}$ support
 80.00 Intersect the N & S line 18 miles South of the post cor.
 of Sec. 11. 12. 13 & 14
 Land soil and timber same as last mile.

West On the line between Sec 11 & 14, T. 6. N. R. 5 W.
 40.00 Set the temp. $7\frac{1}{4}$ support at the aver. dist on the line
 from which a Gum. 10 in diam. trees N 86 E. 49 W. 11' dist
 and a Logwood 7' " " S 63 W. 11' "
 80.00 To the post cor of Sec 10. 11. 14 & 15.

North Between Sec 10 & 11 T. 6. N. R. 5 W.
 37.36 To a Brook. 18 miles min, bearing S. W.
 34.50 " " N Oak 18 in. diam. on the line.
 40.00 Set a $7\frac{1}{4}$ support from which a
 W Oak. 20 in. diam. trees S 44 W. 22 miles dist; & 9
 73 Oak 18' " " S 85 E. 19' " "
 80.00 Set a post for the cor of Sec 2, 3, 10 & 11 from which a
 73 Oak 32 in. diam. trees S 19 E. 36 miles dist; & 5
 Gum. 8' " " " N 32 W. 24' "
 Land soil and timber same.

East Quad Random line between Sec 2 & 11, T. 6. N. R. 5 W.
 40.00 Set a temp. $7\frac{1}{4}$ support
 80.00 Intersect the N & S line 12 miles North of the post
 cor of Sec. 1. 2. 11. & 12
 Land same as last mile.

West On the line between Sec 2 & 11, T. 6. N. R. 5 W.
 40.00 Set the temp. $7\frac{1}{4}$ support at the aver. dist on the line

T. N. 6. N.R. N. 5 W. 2nd Mer. Sec. 5

from which a W Oak 10 in. diam. bears N 63 W. 6 lbs. ash
 and a Hickory 10 " " S 70 E 23 " "
 80.00 To the post cor. of sec. 27, 28, 34 & 35

North Section Sur. 283 T. 6. N.R. 5 W.

40.00 Set a 7/8 supst. from which a

Elm 10 in. diam. bears S 13 W. 20 lbs. ash, & 5

Maple 40 " " " N 59 W 41 " "

102.50 To an Ironwood 4 in. diam. stands for the cor. of sec. 283; 46 lbs. East of the post cor. of sec. 34 & 35.

T. 7 N.R. N. 5 W.

Good farming land; Timber Oak, Hickory, ash & 5

North Section Sur. 33 & 34 T. 6. N.R. 5 W.

40.00 Set a 7/8 supst. from which a

W Oak 12 in. diam. bears N 10 W. 16 lbs. ash, & 5

H. 9 " " " S 73 W. 26 " "

80.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which a

Poplar 24 in. diam. bears N 50 W. 19 lbs. ash, & 5

H. 24 " " " S 39 E. 21 " "

Land rolling; Timber Oak, Hickory, & Poplar.

East On a Random line between Sur. 27 & 34 T. 6. N.R. 5 W.

40.00 Set a temporary 7/8 supst.

79.80 Into cut the N 50 W line at the cor. of sec. 26, 27, 34 & 35.
 Land the same as last time.

West On the true line between Sur. 27 & 34 T. 6. N.R. 5 W.

39.90 Set the temporary 7/8 supst. at the corr. cut on the true line
 from which a Poplar 10 in. diam. bears N 88 E. 58 lbs. ash

and a W Oak 24 " " " S 48 W 15 " "

79.80 To the post cor. of sec. 27, 28, 33 & 34

469

T. N. 6. N.R. N. 54. 2nd (Mm. Ind.:

North	Return Sal 27 & 28 T. 6. N.R. 54.
21.75	Trat Brook. 10 miles wide, Corner E.
24.00	" " Spring " E.
40.00	Set a 1/4 sa post from which a W Oak. 12 in. diam. trees. N 9 E. 37 miles wide; & 5 Ho. 15 " " " N 60 E. 28 " "
80.00	Set a post for the cor. of sal. 21, 22, 27, & 28 from which Gum. 12 in. diam. trees. N 80 E. 37 miles wide; & 5 Ho. 10 " " " S 6 E. 8 " " Land met.
Each	Quadrangle line between Sal 22 & 27 T. 6. N.R. 54.
11.50	Trat Brook. 20 miles wide, Corner N.
40.00	Set a temp. 1/4 sa post.
80.00	Enter cut the N 5 S line 8 miles South of the Post cor. 26, 27, 28, & 29 Land hit and timber same as last mile.
North	On the true line Between Sal. 22 & 27 T. 6. N.R. 54.
40.00	Set the temp. 1/4 sa post at the cor. ditch on the true line from which W Oak. 18 in. diam. trees S 64 E. 30 miles wide, and 6 Hognut 7 " " " N 64 W. 2 " "
80.00	To the Post cor. of sal. 21, 22, 27, & 28
North	Return Sal 21 & 22 T. 6. N.R. 54.
40.00	Set a 1/4 sa post from which a W Oak. 19 in. diam. trees. N 22 E. 25 miles wide; & 5 Gum. 10 " " " S 40 W. 30 " "
66.00	Trat Brook. 20 miles wide, Corner W.
80.00	Set a post for the cor. of sal. 15, 16, 21, & 22 from which Gum. 20 in. diam. trees. S 80 W. 36 miles wide; & 5 Hognut 7 " " " S 7 W. 23 " " Land hit and timber same as last mile.

T. N. C. N. R. N. 5 W. 2nd Mer. Sur.

East On a Random line between Sec. 15 & 22 T. 6. N. R. 5 W.
 1.50 To a Brook. 40 links mile, Course N. W.
 40.00 Set a trap 7 1/4 to post
 70.00 To a Brook 30 links mile, Course S. W.
 80.05 Intersect the N. W. line 43 links South of the post,
 cor. of Sec. 14, 15, 22 & 23.
 Land very brushy Timber Oak, Hickory, ash &c

West On the true line between Sec. 15 & 22 T. 6. N. R. 5 W.
 40.02 1/2 Set the trap 7 1/4 to post at the above intersection line
 from which an Elm 10 in. diam. bears N 65 W. 12 lbs. dish
 under Do. 10, " " S 19 E. 18, "
 80.05 To the post cor. of Sec. 15, 16, 21 & 22.

North Between Sec. 15 & 16 T. 6. N. R. 5 W.
 2.00 To a Brook 40 links mile, Course W.
 11.00 " " Do. 10 " " " S. W.
 35.00 To a Spring. " S. E.
 40.00 Set a 1/4 to post from which an
 W Oak. 12 in. diam. bears S 38 E. 6 links dish; &c
 Do. 12 " " " N 62 W. 35, "
 80.00 Set a post for the cor. of Sec. 9, 10, 15 & 16 from which an
 Hogwood 7 in. diam. bears S 88 W. 48 links dish; &c
 W Oak. 18 " " " N 32 W. 12, "
 Land the same as last mile.

East On a Random line between Sec. 10 & 15 T. 6. N. R. 5 W.
 40.00 Set a trap 7 1/4 to post
 80.10 Intersect the N. W. line 12 links South of the post cor.
 of Sec. 10, 11, 14 & 15.
 Land the same as last mile.

West On the true line between Sec. 10 & 15 T. 6. N. R. 5 W.

471

T. N. 6. S. R. N. 5 W. 2nd Mer. Sur.

40.00	Set the temp. $1\frac{1}{4}$ support at the av. dist on the true line from which Hogwood 7 in. diam. trees S 87 W. 28 lbs dist and a L. 7 " " " S 18 E. 5 " "
80.00	To the Post cor. of Sec. 9, 10, 15 & 16.
North	Between Sec. 9 & 10 T. 6. S. R. 5 W.
20.00	Look Brook. 10 miles wide, course W.
40.00	Set a temp. $1\frac{1}{4}$ support from which Sugar. 12 in. diam. trees. N 12 W. 10 lbs. dist. & a L. — " " " S 10 E. 20 " "
69.00	To a Poplar. 30 in. diam. in the line.
80.00	Set a post for the cor. of Sec. 3, 4, 9 & 10 from which Hickory 10 in. diam. 10 in. diam. trees S 89 E. 14 lbs dist & a Red Bud 10 " " N 54 W. 23 lbs dist Land rolling rich
East	On a Random line between Sec. 3 & 10 T. 6. S. R. 5 W.
40.00	Set a $1\frac{1}{4}$ support
80.00	Enter at the N & S line 12 miles South of the Post cor. of Sec. 2, 3, 10, & 11 Land the same as last mile.
West	On the true line between Sec. 3 & 10. T. 6. S. R. 5 W.
40.00	Set the temp. $1\frac{1}{4}$ support at the av. dist on the true line from which Sugar. 10 in. diam. trees N 16 E. 26 lbs dist and a L. 10 " " " East 3 " "
80.00	To the Post cor. of Sec. 3, 4, 9 & 10.
North	Between Sec. 3 & 4. T. 6. S. R. 5 W.
550	Set a post on the Left Bank of White River for the cor. of frac. Sec. 3 & 4 from which Blackberry 10 in. diam. trees N 76 E. 9 lbs dist & a Sycamore 20 " " " S 6 W. 12 " "

T. N. 6. N. R. N. 5 W. 2nd Mer. Ind.

15.50	Set a post for the cor. of sec. 3 & 4 in the Right Bank of W. Riv. from which Buck 40 in. diam. bears N 38 W. 14 links with S No. 20 " " " N 14 E 12 " "
40.00	Set a 1/4 section
102.75	Enter at the N. corner at the post cor. of sec. 33 & 34 T. 7. N. R. 5 W. Land here rich; Timber Walnut, Locust, Elm, & Buck

North	Between Sec. 32 & 33. T. 6. N. R. 5 W.
26.75	To a W Oak 12 in. diam. stands in the line.
40.00	Set a 1/4 section from which W Oak 20 in. diam. bears S 43 E 36 links with S B. Oak 6 " " " N 55 W. 24 " "
80.00	Set a post for the cor. of sec. 28, 29, 32 & 33 from which W Oak 7 in. diam. bears S 66 W. 5 links with S Quar. 7 " " " N 14 W. 14 " " Land here; Timber Elm, Ash, Oak, &c.

East	On a Random line between Sec. 28 & 33 T. 6. N. R. 5 W.
40.00	Set a temporary 1/4 section
80.00	Enter at the N. S. line 12 links South of the post cor. of Sec. 27, 28, 33 & 34 Land here all at last with.

West	On the true line between Sec. 28 & 33 T. 6. N. R. 5 W.
40.00	Set the temporary 1/4 section at the corner with the true line
80.00	Set the post cor. of sec. 28, 29, 32 & 33.

North	Between Sec. 28 & 29 T. 6. N. R. 5 W.
17.70	Trapping Corner W
27.30	To a W Oak 12 in. diam. in the line.
40.00	Set a 1/4 section from which

473

T. N. 6. N. 16. N. 5 W. 2nd Mer. Ind.:

	<p>W. Oak. 12 in. diam. trees \$877.39 timber each; & a L. 12 " " " \$466.6 " "</p> <p>80.00 Set a post for the cor. of sec. 20, 21, 28 & 29 from which Eng. 10 in. diam. trees \$878.5 timber each; & a L. 7 " " " \$28.27 " "</p> <p>Land Rolling Timber Oak, Hickory.</p>
Cash	On a Random line between Sec. 21 & 28 T. 6. N. 16. 5 W.
1.00	To a Spring; Corner N.
8.00	" " L. 10, " "
12.25	" " L. 10, " "
27.50	" " L. 10, " "
40.00	Set a temp. 7/4 post
80.00	Intersect the N & S line 12 links North of the post cor. of sec. 21, 22, 27 & 28. Land rolling and each;
Wash	On the line line. Between Sec. 21 & 28 T. 6. N. 16. 5 W.
40.00	Set a temp. 7/4 post at the corner each on the line line from which a Poplar. 8 in. diam. trees \$878.37 timber each and a Buck. 15 " " \$407.15 " "
80.00	Set the post cor. of sec. 20, 21, 28 & 29.
North	Between Sec. 20 & 21. T. 6. N. 16. 5 W.
40.00	Set a 7/4 post from which a W. Oak. 15 in. diam. trees \$4877.6 timber each; & a L. 20 " " " \$1808.25 " "
80.00	Set a post for the cor. of sec. 16, 17, 20 & 21 from which a Eng. 18 in. diam. trees \$6977.47 timber each; & a Poplar. 10 " " " \$456.27 " "
	Land same as last made.
Cash	On a Random line between Sec. 16 & 21. T. 6. N. 16. 5 W.

T. N. 6. N.R. N. 5 W. 2nd Mer. Ind 5

31.50	To a Spring Brook 8 links wide, Course N.W.
40.00	Set a temporary 1/4 sec post
53.50	To a Brook 40 links wide, Course N.W.
67.00	" " " " " " " " S.W.
80.00	Enter cut the N & S line 20 links West of the first cor. of lat. 21. 22 15 & 16. Leave the same as last mile.
West	On the true line between Lat. 16 & 21. T. 6. N.R. 5 W.
40.00	Set the temporary 1/4 sec post at the av. dist on the true line from which Sugar 10 in. diam. beam. S 32 W. 19 links out; & 10 do. 12 " " " " 46 E. 33 " "
80.00	To the post on of lat. 16. 17. 20. & 21.
North	Between Lat. 16 & 21. T. 6. N.R. 5 W.
10.50	To a Brook 50 links wide, Course S.W.
13.00	To the East End of the same Creek
30.00	To a Locust 20 in. diam. stands in the line
40.00	Set a 1/4 sec post from which Oak 7 8 in. diam. beam. S 35 W. 10 links out; & 9 Walnut 10 " " " " S 52 W. 17 " "
80.00	Set a post for the cor. of lat. 8. 9. 16 & 17 from which Blackberry 10 in. diam. beam. N 86 W. 43 links out; & 9 do. 10 " " " " N 83 E. 38 " "
	Leave the same as last mile.
East	On a Kansas line between Lat. 9 & 16. T. 6. N.R. 5 W.
40.00	Set a temporary 1/4 sec post
71.25	To a Brook 5 links wide, Course N.
80.00	Enter cut the N & S line at the post cor. of lat. 9. 10. 15 & 16
West	On the true line Between Lat. 9 & 16. T. 6. N.R. 5 W.
40.00	Set a 1/4 sec post at the av. dist on the true line from which

475

T. N. 6. N.R. N. 5 W. 2nd Mer. Ind.

a T.B. Oak 24 in. diam. beam \$59 N. 27 lbs. each; &
 W. Oak. 12 " " " \$45 N. 9 " "
 80.00 To the post cor. of sec. 8, 9, 16, & 17.

North Between Sec. 8 & 9 T. 6. N.R. 5 W.
 40.00 Set a 74 support.
 42.70 Set a post on the Left Bank of W. River for the cor. of
 Grad. Sec. 8 & 9 from which a
 Sycamore 30 in. diam. beam \$13 E. 60 lbs. each; &
 Do. 12 " " " \$87 N. 45 " "
 50.88 Set a post on the Right Bank of W. River for the cor. of
 Grad. Sec. 8 & 9 from which a
 Hickory 12 in. diam. beam \$40 N. 11 lbs. each; &
 Elm. 15 " " " \$12 E. 20 " "
 80.00 Set a post for the cor. of Sec. 4, 5, 8 & 9 from which a
 T.B. Oak. 24 in. diam. beam \$62 E. 79 lbs. each; &
 W. Oak. 20 " " " \$71 N. 8 " "
 Sand bent; Limbs Ash, Oak, Buck, Hickory & 7.

East Between Sec. 4 & 9 T. 6. N.R. 5 W.
 40.00 Set a 74 support at the av. dir. from which a
 Hackberry 12 in. diam. beam \$46 E. 20 lbs. each; &
 Do. 10 " " " \$37 N. 20 " "
 51.50 To a Pond 5 chains in d. N & S.
 70.08 Set a post on the Right Bank of White River for the cor.
 of Grad. Sec. 4 & 9 from which a
 W. Walnut. 12 in. diam. beam \$65 E. 11 lbs. each; &
 Mulberry 9 " " " South 85 " "
 76.29 Set a post on the Left Bank of White River for the cor.
 of Grad. (frac.) 4 & 9 from which a
 W. Oak. 10 in. diam. beam \$44 N. 2 lbs. each; &
 Elm. 10 " " " \$87 E. 7 " "
 80.00 To the post cor. of Sec. 3, 4, 9 & 10.

T. N. 6. N. R. N. 5 W. 2nd Mer. Sec.

North	Return Sec 4 & 5 T. 6. N. R. 5 W.
24.00	To a Brook 15 hrs. min. Comes S. E.
40.00	Set a $\frac{7}{16}$ support from which a W. Oak. 20 in. diam. beam. S 63 W. 17 huts dist; 43 Lo. 20 " " " S 6 E. 27 " "
87.50	To a Wet Prairie 5 ch. min.
103.00	To the post cor. of Sec. 32 & 33. T. 7. N. R. 5 W. Lands rolling; Timber Oak, Hickory.
North	Return Sec. 31 & 32 T. 6. N. R. 5 W.
2.50	To a Brook. 40 huts min. Comes N. W.
40.00	Set a $\frac{7}{16}$ support from which a W. Oak. 12 in. diam. beam. S 43 E. 24 huts dist; 43 Lo. 12 " " " S 36 E. 11 " "
42.75	To a Brook 20 in. diam. in the line.
80.00	Set a post for the cor. of Sec. 29. 30. 31 & 32 from which W. Oak. 12 in. diam. beam. S 48 W. 5 huts dist; 43 Lo. 10 " " " N 42 W. 35. "
	Lands broken; & brushy
East	On a random line between Sec. 29 & 30 T. 6. N. R. 5 W.
40.00	Set a temp. $\frac{7}{16}$ support
80.00	Intersect the N. E. line 45 huts North of the post cor. of Sec. 28. 29. 30 & 33. Lands same as last mile.
West	On the true line Return Sec. 29 & 30. T. 6. N. R. 5 W.
40.00	Set the temp. $\frac{7}{16}$ support at the com. dist on the true line
80.00	To the post cor. of Sec. 29. 30. 31 & 32.
North	Return Sec. 29 & 30 T. 6. N. R. 5 W.
40.00	Set a $\frac{7}{16}$ support from which a Poplar. 10 in. diam. beam. S 81 W. 21 huts dist; 43

477

S. N. C. & R. No 5 W. 2nd Mer. Ind.

53.20	W Oak. 12 in. dia: beam N 59 E. 18 links dist
72.00	To a W Oak. 20 in. dia: stands in the line.
80.00	To a Brook. 10 links wide, Corner W.
	Get a post for the cor. of sec. 19. 20. 29. & 30. from which
	Quinn. 12 in. dia: beam. N 65 E. 22 links dist; & 9
	Beck 10 " " S 13 N. 10 " "
	Land side and timber same as last mile.
Each	On a line between Sec. 20 & 29. T. 6. N. R. 5 W.
40.00	Get a temp. 1 1/4 sa post
80.00	Enter cut the N & S line 9 links South of the post cor. of sec. 20. 21. 28 & 29.
	Land side and timber same as last mile.
West	On the line between Sec. 20 & 29. T. 6. N. R. 5 W.
40.00	Set the temp. 1 1/4 sa post at the av. dist on the line from which
	W Oak. 18 in. dia: beam. N 71 E. 22 links dist
	and a Do. 18 " " S 57 N. 43 " "
80.00	To the post cor. of sec. 19. 20. 29. & 30.
North	Return Sec. 19 & 20 T. 6. N. R. 5 W.
7.00	To a Brook. 10 links wide, Corner W
40.00	Get a 1/4 sa post of
70.00	Get a post on the Left Bank of W River for the cor. of
	sec. 19 & 20 from which
	W Oak. 7 in. dia: beam. S 78 N. 8 links dist; & 9
	Mulberry 7 " " S 10 E. 36 " "
80.00	Get a post for the cor. of sec. 17. 18. 19 & 20 from which
	Cottonwood 20 in. dia: beam. N 28 W. 22 links dist; & 9
	Maple 10 " " S 85 E. 23 " "
	Land very brushy; & the post stands on the Right Side of White River.

T. N. C. N. R. N. 547 2nd (Mm. Lnd.)

East	On a Random line between Sd. 17 & 20 T. 6. N. R. 5 W.
7.66	To the Left Bank of White River.
40.00	Set a temp. 7 1/4 post
42.00	To Spring Comes N.
80.08	Intersect the N & S line at the post cor. of sd. 16. 17. 20 & 21 Land the same as last mt.
West	On the true line between Sd. 17 & 20 T. 6. N. R. 5 W.
40.04	Set the temp. 7 1/4 post at the above dish on the true line from which a Oak 10 in. dia. bears N 37 E. 36 links dish; and a Elm 9 " " " S 62 E. 37 " "
72.40	Set a post on the Left Bank of White River for the cor. of sd. 17 & 20 T. 6. N. R. 5 W. from which a Elm. 8 in. dia. bears S 78 W. 14 links dish; & Lyn. 7 " " " S 3 E. 18 " "
80.08	To the post cor. of sd. 17. 18. 19 & 20
North	Between Sd. 17 & 18 T. 6. N. R. 5 W.
40.00	Set a 7 1/4 post from which a Oak. 20 in. dia. bears S 2 W. 196 links dish
80.00	Set a post for the cor. of sd. 7. 8. 17 & 18 from which a Hickory 10 in. dia. bears S 78 W. 56 links dish; & Box Elder. 8 " " " N 18 W. 27 " " Land the soil; & thinly timbered
East	On a Random line between Sd. 8 & 17 T. 6. N. R. 5 W.
19.50	Set a post on the Right Bank of W. River for the cor. of sd. 8 & 17 from which a Hickory 8 in. dia. bears S 73 W. 37 links dish; & Maple. 7 " " " N 44 E. 43 " "
West	Between Sd. 8 & 17 T. 6. N. R. 5 W.
40.00	Set a 7 1/4 post from which a Sawwood 6 in. dia. bears S 8 W. 16 links dish; & a

T. N. C. N. R. N. 5 W. 2nd Pm. Ind. 479

51.00	<p>Loc. 8 in. diam. trees. S 9 E. 13 units each; Set a post on the Left Bank of White River for the cor. of sec. 8 & 17 from which a W. Oak. 10 in. diam. trees. S 62 W. 28 units each; & a Birch. 24 " " " N 29 E. 12 " "</p>
North 40.00	<p>Between Sec. 7 & 8. T. 6. N. R. 5 W. Set a 1/4 section post from which a B. Oak. 20 in. diam. trees. S 20 E. 33 units each; & a W. Oak. 18 " " " S 18 W. 49 " "</p>
80.00	<p>Set a post for the cor. of sec. 5, 6, 7, & 8 from which a Hick 12 in. diam. trees. N 5 E. 21 units each; & a Loc. 10 " " " S 35 E. 21 " " Sand flat; Timber Oak, Hick, Maple, & Gum.</p>
East 40.00	<p>On a Run across line between Sec. 5 & 8 T. 6. N. R. 5 W. Set a trap 1 1/4 section</p>
50.00	<p>Intersect the N 15 W line 18 units South of the post cor. of sec. 4, 5, 8 & 9 Land thin soil; and very thinly timbered</p>
West 40.00	<p>On the true line between Sec. 5 & 8 T. 6. N. R. 5 W. Set a 1/4 section post at the av. dish on the true line No timber high</p>
80.00	<p>To the post cor. of sec. 5, 6, 7 & 8.</p>
North 40.00	<p>Between Sec. 5 & 6. T. 6. N. R. 5 W. Set a 1/4 section post from which a Hick 12 in. diam. trees S 29 E. 43 units each; & a B. Oak. 5 " " " N 69 E. 34 " "</p>
69.00	<p>Low Prairie</p>
104.00	<p>Intersect the N 30 W line at the post cor. of sec. 31 & 32 T. 7. N. R. 5 W. Land low and thinly timbered in places.</p>


D. N.º 6. M. R. N.º 5 M. D.ª M.ª. Sud.ª

See opposite page.


INDEX MAPS.

D

T. 6N R. 5W 2nd Mer.



T. 7N R. 5W 2nd Mer.



The figures on the lines refer to the page.

T. N. 6. N.R. N. 5 W. 2nd Mer. Ind:

Blackberry 10 in. diam. beam. S83 E. 21 links arch; 43
 M. Oak. 20 " " " N28 W. 15 " "
 Lands rich and level.

West Return Lat 18419 T. 6. N.R. 5 W.

4000 Set a 74 support from which a

T. Oak. 20 in. diam. beam. S40 W. 43 links arch; 43

Do. 20 " " " N32 W. 41 " "

78.00 To a prairie

88.66 Enter cut the West Boundary 53 links North of the
 post cor. of sec. 13 T. 6. N.R. 6 W.

Lands thin soil.

West Return Lat 7418 T. 6. N.R. 5 W.

4000 Set a 74 support from which a

Blackberry - in. diam. beam. S61 W. 20 links arch; 49

Do. 12 " " " S59 E. 38 " "

87.00 To the post cor. of sec. 12 T. 6. N.R. 6 W.

Lands rolling, thin soil; timber same.

West Return Lat 647. T. 6. N.R. 6 W.

5.00 To prairie

40.00 Set a 74 support

55.00 To timbered land.

85.75 Enter cut the West Boundary 73 links South of the post
 cor. of sec. 1. T. 6. N.R. 6 W. and set a post for the
 cor. of sec. 6. 47 from which a

T. Oak. 12 in. diam. beam. N74 E. 230 links arch;

Lands level timber Oak, Hickory.

Meanders of White River in T. 6. N.R. 5 W.
 Commencing in the East Boundary of sec. 25. T. 6. N.
 R. 6 W. thence up stream on the Left Bank in sec.

3

T. No 6. N.R. No 577. 2nd (Mm. Ind.?)

	30. J.C. N.R. 577.	
181 E.	19.50.	
N. 73 E.	15.50	To a Burth 25 lks min.
N 35 E.	20.00	To the post in line between Sec 19 & 30 J.C. N.R. 577
N 53 E.	10.00	
N 20 E.	16.50	
N 7 W.	12.50	Sec. 19.
N 3 E.	28.00	
N 43 E.	8.00	
N 79 E.	16.00	To the post cr. of sec. 19 & 20 J.C. N.R. 577
N 67 E.	5.50	Sec. 20.
N 25 E.	7.00	To the post cr. of sec. 17 & 20. J.C. N.R. 577.
N 20 E.	13.50	
N 11 E.	19.00	To a Burth 200 lks min.
N 16 W.	11.50	
N 5 E.	28.00	Sec. 17.
N 50 E.	17.00	To a post cr. of sec. 8 & 17 J.C. N.R. 577.
N 50 E.	4.50	
N 44 E.	34.50	
N 30 E.	15.00	Sec. 8.
N 40 E.	6.50	
878 E.	11.00	To the post cr. of sec. 8 & 9 J.C. N.R. 577.
N 53 E.	9.00	
837 E.	12.00	
877 E.	15.00	
N 83 E.	11.00	Sec 9
N 60 E.	15.00	
N 39 E.	8.00	

T. N. 6. N.R. No 54. 2nd Mer. Sec. 2

N46 E. 8.50

N35 E. 17.50

Sec. 9

N9 E. 16.00

N23 E. 4.50 To the post cor of sec. 4 & 9 T. 6. N.R. 54

N23 E. 2.00

Sec. 4.

N35 E. 5.00 To the post cor. of sec. 3 & 4. T. 6. N.R. 54

N40 E. 5.00

N60 E. 11.50

N44 E. 45.00

N24 N. 9.50

N30 W. 26.00

N51 W. 11.00

N30 W. 8.00

N30 E. 5.50

Sec. 3.

S71 E. 17.00

S22 E. 23.00

S40 E. 8.50

S88 E. 11.00

N50 E. 6.50

N33 E. 15.00

N19 W. 5.50 To a Brook 200 links N

N19 W. 9.00

N31 E. 4.00

N37 E. 2.50 To the post cor of sec 3 & 4. T. 6 & 7. R. 54.

Meander of the Right Bank of N. River
Commencing on the North Boundary of sec. 3. T. 6. N.
R. No 54. thence downstream

S5 E. 20.00

S35 W. 8.00

Sec. 3.

West 7.00

T. N. 6. N. R. N. 5 W. 2nd Mer. Ind. 5

N 26 W.	28.00	To the post in the N Boundary of sec. 3. T. 6 N. 5 W.
S 25 W.	14.50	From the post on the West side of the River, on the N Boundary of sec. 3. T. 6. N. R. 5 W. shown in Sec. 3.
S 44 E.	28.00	
S 27 E.	22.00	Sec. 3.
S 43 W.	45.00	
S 63 W.	6.00	To the post on the line between Sec. 3 & 4. T. 6. N. R. 5 W.
S 63 W.	6.00	Sec. 4.
S 23 W.	24.00	To the post on the line between Sec. 4 & 9. T. 6. N. R. 5 W.
S 8 W.	17.50	
S 41 W.	36.50	
S 77 W.	11.50	
N 81 W.	15.00	Sec. 9.
N 41 W.	18.00	
N 76 W.	5.00	To the post on the line between Sec. 8 & 9. T. 6. N. R. 5 W.
N 76 W.	13.00	
S 50 W.	13.00	Sec. 8
S 29 W.	27.00	
S 45 W.	43.00	To the post on line between Sec. 8 & 17. T. 6. N. R. 5 W.
S 54 W.	15.00	
S 1 W.	35.00	Sec. 17.
S 17 E.	11.00	
S 22 W.	27.50	To the cor. of sec. 17, 18, 19 & 20
S 51 W.	5.00	
S 79 W.	20.00	Sec. 19
S 34 W.	13.50	

T. N. C. N. R. N. 577. 2nd Mer. Ind.

South 46.00

Su. 19

S36 W. 20.00 To the post on line between Su. 19 & 30. 46 Rs.

S36 W. 15.00

N87 W. 24.00 To the post on the Range line in the East.
Bran. N of No. 25. T. C. N. R. 6 W.

Surveyed by
Arthur Henrie, L. S.

I certify that the foregoing transcripts of the
Field Notes of Township N. 6 North of Range
N. 5 West of the 2nd Principal Meridian, in
Indiana, has been compared with the Original
Notes in this Office and found to be correct.

Surveyor General's Office.

Cincinnati May 6th 1841

E. S. McAiney
Sur. Genl.